

Please read the conditions at last page

Swissonor Mini-Series Amplifiers

PPP with Hashimoto HM-3 Transformers, gain 26/32 dB (specify at order)	1'520.00
PPP with Hashimoto HM-X Transformers, gain 23/29 dB (specify at order)	1'970.00
PPP with Hashimoto HM-7 Transformers, gain 23/29 dB (specify at order)	2'240.00
- Optional internal PP phono preamplifier, passive RIAA	730.00
- Optional 2 nd input (2xMC)	165.00
- Optional 2 nd input (1MC, 1MM)	165.00

Output cables Swissonor #12.0 1m with Neutrik Cinch plugs



PP RIAA Phono Preamplifier for MM and high output MC 980.00

For MM and High-Output MC cartridges.

Input impedance 2 kOhm/47kOhm by jumper


Input gain low/high by jumper

Output gain low/high by jumper

Output direct coupled/capacitor coupled by jumper

Output cables Swissonor #12.0 1m with Neutrik Cinch plugs

Including universal 50/60 Hz 110 - 240 V to 24 VDC power supply (not shown)



Historic 8910 Monophonic Multistandard MC/MM Phono-Preamplifier for historic recordings 1'450.00

Input gain adjustable for low output MC, High output MC, MM

Input impedance adjustable for low output MC, High output MC, MM

Input capacitance adjustable for High output MC, MM

RIAA, Columbia LP, AES and CCIR/DIN curves

Flat (acoustic) input curve

Six Blumlein/Western curves: 200/250/300/350/400/500 Hz

Output gain adjustable for passive and active line inputs

Output cables Swissonor #12.0 1m with Neutrik Cinch plugs

Including universal 50/60 Hz 110 - 240 V to 24 VDC power supply (not shown)



P Passive Line-Preamplifier

Output cables Swissonor #12.0 1m with Neutrik Cinch plugs

740.00

- Optional internal PP phono preamplifier, passive RIAA
Including universal 50/60 Hz 110 - 240 V to 24 VDC power supply (not shown)

630.00



R.S.M. Single Chip Mono-Power Amplifier, one pair

Output power 50W at 8 Ohm, per channel

Mains voltage 230V P+N+Gnd, others please ask!

Delivered with mains cables (not shown), please specify country.

ask for



#11.0 Loudspeaker Interconnect

#11.0 Length 2m, Pair with 4mm Laboratory Hollow Plugs

297.00

#11.0 Length 3m, Pair with 4mm Laboratory Hollow Plugs

330.00

#11.0 Length 4.5m, Pair with 4mm Laboratory Hollow Plugs

380.00

#11.0 Length 6m, Pair with 4mm Laboratory Hollow Plugs

430.00

#11.0 Other Lengths, add per stereo m to basic length

33.00

#11.0 on Drum, per Meter

19.65

- Optional Bi-Wiring from Amp to Loudspeaker Terminals, Pair

20.00



Laboratory Hollow Plugs 4mm Set of 8 with shrink hoses

19.55



Fork Adapter for 4mm Laboratory Plugs Set of 4
 Meets 4 mm laboratory plugs included safety plugs.
 See left picture

Laboratory Sockets 1kV/32A 4mm Set of 4 (2 Pairs)
 Meets 4 mm laboratory plugs included safety plug

34.55
 14.25



#12.0 Signal Interconnect

#12.0 Length 0.8m, Pair Cinch-Cinch Neutrik

188.00

#12.0 Length 1.2m Pair Cinch-Cinch Neutrik

198.00

#12.0 Length 1.5m Pair Cinch-Cinch Neutrik

208.00

#12.0 Length 1.8m Pair Cinch-Cinch Neutrik

218.00

#12.0 Length 2.4m Pair Cinch-Cinch Neutrik

240.00

#12.0 Other Lengths, add per m to basic length

30.00

#12.0 on Drum, per Meter

16.00

- Optional Cinch-XLR or XLR-Cinch (please specify when order) Neutrik

7.80

- Optional XLR-XLR fully symmetrical Neutrik

15.55

- Optional 5-Pin Tonearm Plug (Japanese tonearms) -Cinch

88.55

- Optional phono earth connection (specify length) w. forks

8.10

- Optional phono earth connection (specify length) w. 4mm banana plugs

10.25



Cinch Plug Neutrik, Set of 2 (R + L)

See left picture

9.80

XLR Male Neutrik Set (1xR 1x L)

See right picture

17.90

XLR Female Neutrik Set (1 R + 1x L)

See left picture

21.50

5-Pin Tonearm Plug gold pin with Teflon Insulation

Japanese tonearms use mostly this type

See right picture

24.45



Cinch Socket Neutrik Ningbo front mount Set of 2 (L+R) see left picture

Cinch Socket High End rear mount "Minimum Signal Distortion"
 Gold/Teflon Set of 2 (L+R) see right picture

8.80

17.80



Swissonor Turntable Spares, Upgrades & Accessories

#13 Disc cleaning Towel Antistatic, Microfiber, see left side
For vinyl, CD's and more.

18.00


Detailed cleaning instructions are joined

#28 Turntable Cover see right side

48.00

Black antistatic microfiber,

Does not scratch even delicate surfaces, eliminates static charges, Swiss watchmaker quality. Swissonor Print one side.



Swissonor Turntable Feet Set of 3 with screws, left side

8.60

These ventilated feet are optimized for Thorens TD 124, TD125 and TD160 turntables, but can be successfully used for other turntables and electronic equipment.

Please specify equipment weight when order.



Thorens TD 124 upgrades and spares

#1.0 Nonmagnetic Cast Iron Main Platter

1060.00

Special High Nickel Alloy,

Serigraphic stroboscope ring

Contact rubbers selected within +/- 0.01mm thickness

Avoids magnetic interference with MC and MM cartridges.

This is the most important upgrade for any TD124.



#1.1 Spare Rubbers for Main Platter, self-adhesive

12.00

Rubbers selected within +/- 0.01mm thickness

Set of six.



#2.0 Alloy Upper Platter.

After the #1.0 non-magnetic main platter and the #20.0 main bearing, this is the third most important upgrade for TD124

380.00

2nd choice upper platter (contact us for availability))

190.00



#3.0 Tonearm-Mounting Plate or 12 inch SME/Universal, made of CNC milled phenolic paper, black 2 comp. coated.

320.00

3D de-coupled, with mounting hardware for SME, left side

#3.2 Tonearm Mounting Plate for 9 inch SME/Universal, made of CNC milled phenolic paper, black 2 comp. coated.

290.00


3D de-coupled, with mounting hardware for SME, right side

#3.4 Tonearm Mounting Plate 12 inch plain without tonearm hole made of CNC milled phenolic paper, black 2 comp. coated. 3D de-coupled, No picture

280.00

#3.5 Tonearm Mounting Plate 9 inch plain without tonearm hole made of CNC milled phenolic paper, black 2 comp. coated. 3D de-coupled, right side. No picture

260.00



#3.9 Sliding Adapter for 18 to 20 mm Tonearm shafts, Set with Tools. Out of stock. Picture see previous page. **Sold out**
#20 Retrofit of your main bearing. Cast bronze thrust plate with radial seal, no axial seal nor plastic thrust plate. Cushions are in brass- steel-bronze-PTFE composite.
 This is the second most important upgrade for TD 124.
 Ask for retrofit/upgrade of your original Thorens main bearing

380.00



#29 TD 124 Plint
 CNC milled from 80 mm thick baltic birch plywood, with black matt structured 2 component coating.
 Delivered with set of ventilated feet.
 Mushrooms not delivered with. please order separately.

440.00



Set of 4 TD 124 mushrooms complete with with metal caps
 Important: Hardness identical to original specification.
 Left side

65.00

Thorens Motor suspension rubber grommets, set of 3 (MK1).
 Limited stock.
 Right side

28.50

Thorens TD 124 Spare Belt
 No picture

32.00



TA 10 Tonearm

4'600.00

TA10 10 inch tonearm with high grade universal headshell
 Comes completely assembled on de-coupled phenolic paper TD 124 mounting plate, with 2 counter-weights, quality headshell with overhang and azimuth adjustment, fixed Swissonor #12.0 tonearm cable.
 Custom made contact shell compatible to industry standard, therefore ideal for Ortofon SPU cartridges.
 Mechanical parts made by Geneva watchmaker industry.



TA10 Tonearm with other than TD 124 mounting plate

ask

#10.0 Swissonor tonearm lift

ask

#14.0 Swissonor Armrest

ask

Thorens TD 125 upgrades and spares

Walnut Plinth for TD 125
 Solid walnut, high grade matt natural finish
 Comes with Swissonor ventilated feet
 Please ask for TD 125L, **limited availability**

480.00



#34.0

Tonearm Mounting Plate 12 inch SME/Universal for TD125LB, see left side.
 3D de-coupled
 CNC milled in phenolic paper, 2 component matt black coated

280.00

#34.2 Tonearm Mounting Plate 9 inch SME/Universal for TD125, see right side.
 CNC milled in phenolic paper, 2 component matt black coated

240.00



Thorens TD 160 upgrades and spares

#30 Full Swissonor TD 160 Transformation Kit (without Cartridge) including monolithic Baltic Birch Plywood Plinth with ventilated feet, Swissonor power, phono and earth connection cables with all plugs, damping plate, spare belt, TP60 headshell modification set, silver solder.

Comes with detailed instruction manual.

657.00



#30.1 TD 160 Monolithic Baltic Birch Plinth

Matt Black Structured Finish, comes with ventilated feet

400.00

#31 Conversion Kit for TP60 Headshell

Laser cut top plate and set of Inox M2.5 screws for optimum assembly of any threaded ½ inch mount cartridge, as ortofon 2M, Quintet and Cadenza series.

If you need another screw type please specify.

This conversion not only allows use of top mounting cartridges, but furthermore gives a more defined sound.

21.00



#32 Swissonor TD 160 (TD125, TD 145 and many others)

"Timekeeper" Spare Belt. This belt keeps the rotation speed closer to the 33 1/3 RPM specification, than other spare belts. Therefore the music keeps its original timing and tuning.

17.50



SME-Tonearm upgrades

#40 Silver Steel Precision SME Knife-Edge,

Black phosphor finish

Chrome Vanadium steel, precision machined by Geneva watchmaker industry, knife edge manually polished.

Spare/upgrade part for the classic SME 3009 and 3012 tonearms

58.00



#41 SME tonearm 10mm Hight Spacer Set with screws

Nickel plated brass, stainless steel screws (no picture)

12.00

Vinyl and CD's from our friends

Gosteli/Schneider/Chrétien « **SOS** » Vinyl 2x180g, Limited Edition 180g vinyle

45.00




Gosteli/Schneider/Chrétien « **SOS** » CD, Limited Edition

25.00

Tommy Schneider & Friends « **Plan B3** » Vinyl 180g, Limited Edition 180g vinyl

35.00



Tommy Schneider & Friends « **Plan B3** » CD, Limited Edition

25.00

Tommy Schneider & Friends « **The Hidden Port** » Vinyl 180g, Limited Edition 180g vinyle

35.00



Tommy Schneider & Friends « **The Hidden Port** » CD, Limited Edition

25.00

Nehad El Sayed « **Yarns** » reference CD Limited Edition Natural Sound Recording

25.00



How to order Please contact us by mail info@swissonor.ch or fax +41 22 784 63 69 for availability and shipping costs. Contract is valid only after Swissonor order confirmation, and receipt of full invoice amount.

General conditons of sales:

Warranty:

Hardware is covered by a limited lifetime warranty of 3 years under normal use, parts and labour. For electronic equipment please refer to the user manual.

Data protection:

Customer data is used for quotation and order fulfillment purpose only.

We fully respect Swiss and EU rules.

Billing:

Swissonor bank account data is sent together with order confirmation.

Bank and transfer fees are on entire customers charge, please make sure with your bank.

We accept SEPA (Single European Payment Area) transfer.

VAT:

Sales price does not include foreign taxes and duty charges

Shipping and delivery times:

Before ordering, please contact us for availability, shipping mode and cost.

All prices are EXW Troinex, including Swissonor shipping packaging.

Shipping damages:

Please check packaging immediately at receipt. Do not sign any acknowledgment of receipt in case of damaged packaging.

Returns:

Returns of goods for replacement or redemption arrangement, on written agreement by Swissonor only.

Applicable Law and Jurisdiction:

Troinex, Switzerland.



Swissonor.ch Frei, CH-1256 Troinex, Fax 0041/ 22 784 63 69

<http://www.swissonor.ch>, info@swissonor.ch

Swissonor.ch Frei

Entreprise individuelle enregistrée au Registre du Commerce de Genève, titulaire Frei Anne-Marie

N° féd. CH-660-0001009-7

Chemin de Roday 52

CH -1256 Troinex /Switzerland

IDE : CHE 114.652.528